

**Preschool / School Immunization Record

Last Name	First Nar	Middle Name				Sex	Birth Da			ite				
						M F								
Parent /Guardian Name							Daytime Phone #							
Immunization	Vaccine Type	Dose	Date Given			Immunization			Vaccine Type	Dose	Date Given			
			Мо	Day	Yr				.) 0		Мо	Day	у	Yr
DTP, DTaP #1 Diphtheria Tetanus Pertussis		1				MMF Meas				1				
		2				Mumps Rubella				2				
		3				_	atitis B es required			1				
		4				Last d given	ose must be at 6 months of			2				
		5				childre doses	r older. Some en may have 4			3				
OPV or IPV #2 Polio HIB #3 Haemophilus Influenza Type B Pedvax or Comvax is a 3 dose series. No dose is given at 6 months.		1								4				
		2				-	atitis A must be 6			1				
		3			calend	dar months			2					
							between doses							
		4*				13 #3				1				
		1				umococcal ugate*			2					
		2				dose i	age 5, one must be PCV			3				
		3				13				4				
		4				Varicella Chickenpox				1				
Rotavirus #4 Rotarix is a 2 dose series given at 2 and 4 months. Rotateq is a 3 dose series given at 2, 4, and 6 months		1				1				2				
		2				Tdap)	┞		1				
						-								
		3				Meni	ingococcal			1				

All vaccines given must meet the minimum age and minimum interval for that dose in order to be considered valid.

*#1 - DTaP: 5th dose is not necessary if the 4th dose given on or after the 4th birthday and at least 6 months have elapsed since the 3rd dose.

*#2 - Polio: 4^{th} dose is not necessary if the 3^{rd} dose was given on or after the 4^{th} birthday and at least 6 months elapsed since the 2^{rd} dose.

<u>*#3 - Hib and PCV:</u> If a child begins the series age 7 months or later not all 4 doses will be required. At least 1 dose must be given on or after the 1st birthday. Not given after 59 months of age.

*#4 - Rotavirus: Should not be started for infants 15 weeks 0 days or older. The maximum age for the final dose is 8 months 0 days.

**If pre-school has children under the age of 4, they must follow Child Care Immunization Laws.